



Remote Helicopters Ltd. Hangar 4 Airport Road Box 1340, Slave Lake (AB) Canada, T0G 2A0 Email: linell.malbeuf@remotehelicopters.com

Ph. Office: 780-849-4569

Fax:780-849-5235

C-GRHW Detailed View

| | | | | | |
|--------------|--------|------------|--------------|-----------------------|-------------------|
| Registration | C-GRHW | Date | Sep 25, 2012 | Cal - Calibration | Ins - Inspection |
| Make | BELL | TTAF | 16215.7 | NDT - NDT - 1000 HOUR | On - On Condition |
| Model | 204B | Serial No. | 2056 | Ove - Overhaul | Rep - Replacement |
| | | | | Ret - Retirement | |

Actions

| Cycles values | | | | | | | |
|----------------|-----------|------------|-----------|------------|----------|------------|-------|
| Cycle Name | Value | Cycle Name | Value | Cycle Name | Value | Cycle Name | Value |
| Flight Segment | 0.0 | Landings | 13 864.0 | LIFTS | 31 555.0 | Lifts | 0.0 |
| NG CYCLE | 13 266.84 | NP CYCLE | 13 268.54 | Start | 4 745.0 | | |

Components

| Component/Action | Make/Model | Part No. | Serial No. | Tracking No. | Limit | Perf. | Time at Inst. | Due | TTSC | TTSN | Rem. |
|---|------------|------------------|------------|--------------|---------|--------------------------|---------------|--------------|------------------|----------|---------|
| 1000HR BOLT KIT / Rep 620000 | / | | | | 1000.0H | 15928.3H Sep 2, 11 | | 16928.3H | 287.4H 12.8M | | 712.6H |
| 24 MONTH BOLT INSP. / Ins 620000 | / | | | | 24.0M | 15928.3H Sep 2, 11 | | Sep 2, 13 | 287.4H 12.8M | | 11.2M |
| 24 MTH DART CROSSTUBE INSP / Ins 320000 | / | | | | 24.0M | 15971.0H May 16, 12 | | May 16, 14 | 244.7H 4.3M | | 19.7M |
| 42 DEGREE GEARBOX / Ove 650000 | / | 212-040-003-023A | A-FS963 | | 5000.0H | 15482.2H Feb 16, 10 | | 20482.2H | 733.5H 31.3M | | 4266.5H |
| 90 DEGREE GEARBOX / Ove 650000 | / | 204-040-012-013 | B13-3025 | | 1500.0H | 14979.1H Dec 3, 07 | 0.0H | 16479.1H | 1236.6H 57.7M | 13351.0H | 263.4H |
| A/C WEIGHING / Cal 050000 | / | | | | 60.0M | Apr 17, 08 | | Apr 17, 13 | 53.3M | | 6.7M |
| ALTIMETER / Cal 990000 | / | 5934PA-1 | N1769 | | 24.0M* | 15971.0H May 16, 12 * | * | Feb 22, 14 * | 244.7H 4.3M* | * | 16.9M* |
| ALTIMETER / Cal 990000 | / | 5934PA-1 | 8J848 | | 24.0M* | 15971.0H May 16, 12 * | * | Feb 22, 14 * | 244.7H 4.3M* | * | 16.9M* |
| BLIND ENCODER / Cal 990000 | / | A-30 | 119039 | | 24.0M* | 15971.0H May 16, 12 * | * | Feb 22, 14 * | 244.7H 4.3M* | * | 16.9M* |

Components

| Component/Action | Make/Model | Part No. | Serial No. | Tracking No. | Limit | Perf. | Time at Inst. | Due | TTSC | TTSN | Rem. |
|--|--------------------------|-----------------|--------------|--------------|----------------------|-----------------------------------|----------------------|----------------------|-------------------------------|------|----------------------|
| BOOST TUBES / On 670000 | / | 204-076-267-005 | | | | 13781.5H Apr 19, 04 | 0.0H | | 2434.2H 101.2M | | |
| CARGO HOOK / Ove 250000 | / | 200-089-03 | 0270 | | 36.0M | 15485.4H Mar 2, 10 | 0.0H | Mar 2, 13 | 730.3H 30.8M | | 5.2M |
| Collective Lever / On 670000 | / | 212-010-403-005 | TR-477 | | | 14095.1H Aug 17, 04 | | | 2120.6H 97.3M | | |
| Collective Lever / On 670000 | / | 212-010-403-005 | SS30-02443 | | | 14095.1H Aug 17, 04 | | | 2120.6H 97.3M | | |
| COMPASS SWING / Cal 960000 | / | | | | 12.0M | 15971.0H May 16, 12 | | May 16, 13 | 244.7H 4.3M | | 7.7M |
| DAMPER ASSY. / On 290000 | / | 204-010-937-007 | A5456 | | | 15181.8H Aug 19, 08 | | | 1033.9H 49.2M | | |
| DAMPER ASSY. / On 290000 | / | 204-010-937-007 | H1101 | | | 15699.9H Mar 8, 11 | | | 515.8H 18.6M | | |
| ELEVATOR / On 550000 << Not Installed >> | / | 39705-02 | 024 | | | 15971.0H May 16, 12 | | | 244.7H 4.3M | | |
| ELEVATOR / On 550000 << Not Installed >> | / | 39705-02 | 023 | | | 15971.0H May 16, 12 | | | 244.7H 4.3M | | |
| ELEVATOR 1000 HR INSP / Ins 550000 | Bell/ 212 | | | | 1000.0H | 15971.0H May 16, 12 | | 16971.0H | 244.7H 4.3M | | 755.3H |
| ELEVATOR HORN / On 550000 | / | 205-001-914-103 | TFFS0064 | | | 15971.0H May 16, 12 | | | 244.7H 4.3M | | |
| ELT / Cal 250000 | Kannad/ 406 | S1840501-02 | 2619926-0204 | | 12.0M* | 15971.0H May 16, 12 * | * | Feb 27, 13 * | 244.7H 4.3M* | * | 5.1M* |
| ENGINE / Ove 050000 | AVCO LYCOMING/ T5313B | 1-000-060-13 | LE-07679 | | 5000.0H | 15699.0H Feb 26, 11 | 3971.6H | 16727.4H | 4488.3H 19.0M | | 511.7H |
| -- COMPRESSOR SHAFT FRONT / Rep 720000 Cycle Name : Start | / | 1-100-495-07 | 5D191 | | 25000.0H 25000.0C | 15699.0H Feb 26, 11 4251.0C | 10929.2H 12184.0C | 29769.8H 17067.0C | 11445.9H 19.0M 12678.0C | | 13554.1H 12322.0C |
| -- COMPRESSOR SHAFT REAR / / Rep | / | 1-100-501-01 | 5E068 | | 25000.0H | 15699.0H Feb 26, 11 | 10929.2H | 29769.8H | 11445.9H 19.0M | | 13554.1H |

Components

| Component/Action | Make/Model | Part No. | Serial No. | Tracking No. | Limit | Perf. | Time at Inst. | Due | TTSC | TTSN | Rem. |
|--|-----------------|--------------|--------------|--------------|----------------------|------------------------------------|--------------------|----------------------|-----------------------------|------|----------------------|
| 720000 Cycle Name : Start | | | | | 25000.0C | 4251.0C | 12184.0C | 17067.0C | 12678.0C | | 12322.0C |
| -- ENG ASSESSORY GEARBOX / On | LYCOMING/ | 1-080-250-25 | 379A | | | 15699.0H Feb 26, 11 | 281.7H | | 798.4H 19.0M | | |
| -- F.C.U. / Ove 730000 | CHANDLER EVANS/ | 1-170-780-01 | 12AS11163 | | 3000.0H* | 15757.1H* May 22, 11 | 424.2H* | 17832.9H* | 882.8H* 16.1M | * | 1617.2H* |
| -- Govenor / Ove 720000 | chandler evans/ | 1-160-850-23 | 672AM6280 | | 3000.0H | 15699.0H Feb 26, 11 | 786.4H | 17912.6H | 1303.1H 19.0M | | 1696.9H |
| -- GP DISC 1ST STAGE / Rep 720000 Cycle Name : NG CYCLE | / | 1-100-389-01 | 080335702452 | | 25000.0H 4300.0C | 15699.0H Feb 26, 11 12690.3C | | 40699.0H 16990.3C | 516.7H 19.0M 576.5C | | 24483.3H 3723.5C |
| -- GP DISC 2ND STAGE / Rep 720000 Cycle Name : NG CYCLE | / | 1-100-397-01 | 040335702381 | | 25000.0H 10100.0C | 15699.0H Feb 26, 11 12690.3C | 786.4H 766.7C | 39912.6H 22023.6C | 1303.1H 19.0M 1343.3C | | 23696.9H 8756.7C |
| -- GP SEAL DISC 1ST TURBINE / RTR / Rep 720000 Cycle Name : NG CYCLE | / | 1-100-135-03 | C-151 | | 25000.0H 6900.0C | 15699.0H Feb 26, 11 12690.3C | 5141.3H 4739.3C | 35557.7H 14851.0C | 5658.0H 19.0M 5315.9C | | 19342.0H 1584.1C |
| -- GP TURBINE SPACER / Rep 720000 Cycle Name : NG CYCLE | / | 1-100-294-03 | SC10520 | | 25000.0H 7000.0C | 15699.0H Feb 26, 11 12690.3C | 1312.7H 1279.9C | 39386.3H 18410.4C | 1829.4H 19.0M 1856.4C | | 23170.6H 5143.6C |
| -- IMPELLER / Rep 710000 Cycle Name : Start | / | 1-100-078-13 | 051365105627 | | 25000.0H 14000.0C | 15699.0H Feb 26, 11 4251.0C | 786.4H 766.7C | 39912.6H 17484.3C | 1303.1H 19.0M 1260.7C | | 23696.9H 12739.3C |
| -- MAIN BEARING #1 / ON 720000 Cycle Name : Start | / | 1-300-015-04 | 439AZ | | | 15699.0H Feb 26, 11 | 3971.6H | | 4488.3H 19.0M | | |
| -- MAIN BEARING #2 / ON 720000 Cycle Name : Start | / | 1-300-584-02 | 8361 | | | 15699.0H Feb 26, 11 | 3971.6H | | 4488.3H 19.0M | | |
| -- MAIN BEARING #3 / ON 720000 Cycle Name : Start | / | 1-300-665-01 | 10043 | | | 15699.0H Feb 26, 11 | 2185.8H | | 2702.5H 19.0M | | |
| -- MAIN BEARING #4 / ON 720000 Cycle Name : Start | / | 1-300-015-04 | 5677 | | | 15699.0H Feb 26, 11 | 2185.8H | | 2702.5H 19.0M | | |
| -- PT DISC 1ST STAGE / Rep 720000 Cycle Name : NP CYCLE | / | 1-190-044-01 | 010335701146 | | 50000.0H 25000.0C | 15699.0H Feb 26, 11 12692.0C | 2185.8H 988.0C | 63513.2H 36704.0C | 2702.5H 19.0M 1564.5C | | 47297.5H 23435.5C |
| -- PT DISC 2ND STAGE / Rep 720000 Cycle Name : NP CYCLE | / | 1-140-312-01 | 010335702358 | | 50000.0H 30000.0C | 15699.0H Feb 26, 11 12692.0C | 2185.8H 988.0C | 63513.2H 41704.0C | 2702.5H 19.0M 1564.5C | | 47297.5H 28435.5C |

Components

| Component/Action | Make/Model | Part No. | Serial No. | Tracking No. | Limit | Perf. | Time at Inst. | Due | TTSC | TTSN | Rem. |
|--|------------|-----------------|--------------|--------------|----------------------|------------------------------------|----------------------|----------------------|-------------------------------|------|----------------------|
| -- PT POWER SHAFT / Rep 720000 Cycle Name : NP CYCLE | / | 1-100-800-04 | 5h001 | | 25000.0H 25000.0C | 15699.0H Feb 26, 11 12692.0C | 10929.2H 10656.0C | 29769.8H 27036.0C | 11445.9H 19.0M 11232.5C | | 13554.1H 13767.5C |
| -- PT SPACER / Rep 720000 Cycle Name : NP CYCLE | / | 1-140-314-01 | 010335702403 | | 25000.0H 30000.0C | 15699.0H Feb 26, 11 12692.0C | 2185.8H 988.0C | 38513.2H 41704.0C | 2702.5H 19.0M 1564.5C | | 22297.5H 28435.5C |
| -- ROTOR SUB ASSY / Rep 720000 Cycle Name : Start | / | 1-101-250-04 | m259008 | | 25000.0H 16500.0C | 15699.0H Feb 26, 11 4251.0C | 10929.2H 12184.0C | 29769.8H 8567.0C | 11445.9H 19.0M 12678.0C | | 13554.1H 3822.0C |
| FIRE BOTTEL, ENGINE / Ove 260000 | / | 21500 | A-23 | | 60.0M | 15482.2H Feb 16, 10 | | Feb 16, 15 | 733.5H 31.3M | | 28.7M |
| FIRE EXTINGUISHER CABIN / Cal 260000 | / | B417 | 054712 | | 12.0M* | 15971.0H May 16, 12 * * | | Feb 28, 13 * | 244.7H 4.3M* | * | 5.1M* |
| FIRST AID KIT / Cal 250000 | / | | | | 12.0M | 15948.0H Dec 1, 11 | | Dec 1, 12 | 267.7H 9.8M | | 2.2M |
| FUEL BOOST PUMP L/H / On 280000 | / | RG12240D | C-258 | | | 15252.5H Mar 21, 09 | | | 963.2H 42.1M | | |
| FUEL BOOST PUMP R/H / On 280000 | / | 164A168-1 | 6226 | | | 15831.5H Jun 27, 11 | | | 384.2H 14.9M | | |
| HYD PUMP / On 290000 | / | PV3-044-8 | MX-367045D | | | 11235.9H May 13, 98 | 0.0H | | 4979.8H 172.4M | | |
| HYD. SERVO COLLECTIVE / Ove 670000 | / | 205-076-038-007 | 16886 | | 1500.0H | 16215.1H Sep 18, 12 | | 17715.1H | 0.6H 0.2M | | 1499.4H |
| HYD. SERVO L/H / Ove 670000 | / | 204-076-038-007 | 76047 | | 1500.0H | 16215.1H Sep 18, 12 | | 17715.1H | 0.6H 0.2M | | 1499.4H |
| HYD. SERVO R/H / Ove 670000 | / | 205-076-038-007 | 52309 | | 1500.0H | 16215.1H Sep 18, 12 | | 17715.1H | 0.6H 0.2M | | 1499.4H |
| HYD. SERVO T/R / On 670000 | / | 204-076-053-005 | 3145 | | | 15287.2H Jun 11, 09 | | | 928.5H 39.5M | | |
| I.R. VALVE RH / Ove 670000 | / | 204-076-055-001 | 60488 | | 1000.0H | 15699.0H Feb 26, 11 | 0.0H | 16699.0H | 516.7H 19.0M | | 483.3H |
| I.R. VALVE COLLECTIVE / Ove 670000 | / | 204-076-055-001 | 49442 | | 1000.0H | 15699.0H | | 16699.0H | 516.7H | | 483.3H |

Components

| Component/Action | Make/Model | Part No. | Serial No. | Tracking No. | Limit | Perf. | Time at Inst. | Due | TTSC | TTSN | Rem. |
|---|------------|------------------|------------|--------------|---------|------------------------|---------------|----------|------------------|------------------|---------|
| | | | | | | Feb 26, 11 | | | 19.0M | | |
| I.R. VALVE LH / Ove 670000 | / | 204-076-055-001 | 51939 | | 1000.0H | 15699.0H Feb 26, 11 | | 16699.0H | 516.7H 19.0M | | 483.3H |
| M/R BLADE / Ret 620000 | / | 204-011-250-113 | A-FS14881 | | 2500.0H | 16035.0H Jun 27, 12 | | 18535.0H | 180.7H 2.9M | | 2319.3H |
| M/R BLADE / Ret 620000 | / | 204-011-250-113 | A-FS14900 | | 2500.0H | 16035.0H Jun 27, 12 | | 18535.0H | 180.7H 2.9M | | 2319.3H |
| M/R HUB ASSEMBLY / Ove 620000 | / | 204-012-101-005G | ABG-9413 | | 2400.0H | 15482.2H Feb 16, 10 | | 17882.2H | 733.5H 31.3M | 7639.3H 31.3M | 1666.5H |
| -- DRAG BRACE ASSY. (#1) / Ret 620000 | / | 204-011-140-001 | ECM030326 | | 2400.0H | 14504.2H | 385.0H | 16519.2H | 2096.5H | 1715.3H | 303.5H |
| -- DRAG BRACE ASSY. (#2) / Ret 620000 | / | 204-011-140-001 | ECM030325 | | 2400.0H | 14504.2H | 385.0H | 16519.2H | 2096.5H | 2096.5H | 303.5H |
| -- DRAG BRACE BARREL (#1) / Rep 620000 | / | 204-011-143-001 | DIFS-3377 | | 2400.0H | 14504.2H | 385.0H | 16519.2H | 2096.5H | 1715.3H | 303.5H |
| -- DRAG BRACE BARREL (#2) / Rep 620000 | / | 204-011-143-001 | DIFS-3374 | | 2400.0H | 14504.2H | 385.0H | 16519.2H | 2096.5H | 1715.3H | 303.5H |
| -- DRAG BRACE CLEVIS (#1) / Rep 620000 | / | 204-011-179-001 | A-FS6314 | | 2400.0H | 14504.2H | 385.0H | 16519.2H | 2096.5H | 1715.3H | 303.5H |
| -- DRAG BRACE CLEVIS (#2) / Rep 620000 | / | 204-011-179-001 | A-FS6308 | | 2400.0H | 14504.2H | 385.0H | 16519.2H | 2096.5H | 1715.3H | 303.5H |
| -- DRAG BRACE FITTING (#1) / Rep 620000 | / | 204-011-180-001 | AFS-5581 | | 2400.0H | 14504.2H | 385.0H | 16519.2H | 2096.5H | 1715.3H | 303.5H |
| -- DRAG BRACE FITTING (#2) / Rep 620000 | / | 204-011-180-001 | AFS-5610 | | 2400.0H | 14504.2H | 385.0H | 16519.2H | 2096.5H | 1715.3H | 303.5H |
| -- M/R GRIP / Rep 620000 | / | 204-011-121-005 | J1-1-22520 | | 9000.0H | 14979.1H Dec 3, 07 | 7380.7H | 16598.4H | 8617.3H 57.7M | 8142.4H 57.7M | 382.7H |
| -- M/R GRIP / Rep 620000 | / | 204-011-121-005 | J1-1-22526 | | 9000.0H | 14979.1H Dec 3, 07 | 7380.7H | 16598.4H | 8617.3H 57.7M | 8142.4H 57.7M | 382.7H |

Components

| Component/Action | Make/Model | Part No. | Serial No. | Tracking No. | Limit | Perf. | Time at Inst. | Due | TTSC | TTSN | Rem. |
|---|------------|------------------|------------|--------------|-----------------------|-----------------------------------|----------------------|------------------------|--------------------------------|---------|---------------------|
| -- M/R INBOARD FITTING #1 / Ret 620000 | / | 204-012-102-009 | A-6946 | | 2400.0H | 15790.1H Jun 15, 11 | | 18190.1H | 425.6H 15.3M | | 1974.4H |
| -- M/R INBOARD FITTING #2 / Ret 620000 | / | 204-012-102-009 | A-6959 | | 2400.0H | 15790.1H Jun 15, 11 | | 18190.1H | 425.6H 15.3M | | 1974.4H |
| -- M/R OUTBOARD FITTING #1 / Ret 620000 | / | 204-012-103-001 | AFS17481 | | 3000.0H | 15482.2H Mar 8, 10 | 502.9H | 17979.3H | 1236.4H 30.6M | | 1763.6H |
| -- M/R OUTBOARD FITTING #2 / Ret 620000 | / | 204-012-103-001 | AFS17484 | | 3000.0H | 15482.2H Mar 8, 10 | 502.9H | 17979.3H | 1236.4H 30.6M | | 1763.6H |
| -- M/R TRUNNION / Ret 620000 Cycle Name : LIFTS | / | 204-011-105-001 | AI-08693 | | 15000.0H 300000.0C | 13329.2H Aug 24, 02 10.0C | 6161.5H 197018.0C | 22167.7H 102992.0C | 9048.0H 121.0M 228563.0C | | 5952.0H 71437.0C |
| -- M/R TT STRAP #1 / Ret 620000 | / | 204-310-101-101 | LPFS30214 | | 1200.0H 24.0M | 15971.0H May 16, 12 | | 17171.0H May 16, 14 | 244.7H 4.3M | | 955.3H 19.7M |
| -- M/R TT STRAP #2 / Ret 620000 | / | 204-310-101-101 | LPFS30217 | | 1200.0H 24.0M | 15971.0H May 16, 12 | | 17171.0H May 16, 14 | 244.7H 4.3M | | 955.3H 19.7M |
| -- M/R YOKE / Ret 620000 | / | ASI-4011-102-125 | ITM-107 | | 3600.0H | 14979.1H Dec 4, 07 26875.0C | 1077.4H | 17501.7H | 2314.0H 57.7M -26875.0C | | 1286.0H |
| -- PILLOW BLOCK BUSHING #1 / Ret 620000 | / | 204-011-135-003 | DLFS 1233 | | 2400.0H | 15252.5H Mar 19, 09 | | 17652.5H | 963.2H 42.2M | | 1436.8H |
| -- PILLOW BLOCK BUSHING #2 / Ret 620000 | / | 204-011-135-003 | DLFS 272 | | 2400.0H | 15252.5H Mar 19, 09 | | 17652.5H | 963.2H 42.2M | | 1436.8H |
| -- PILLOW BLOCK BUSHING #3 / Ret 620000 | / | 204-011-135-003 | DLFS 1110 | | 2400.0H | 15252.5H Mar 19, 09 | | 17652.5H | 963.2H 42.2M | | 1436.8H |
| -- PILLOW BLOCK BUSHING #4 / Ret 620000 | / | 204-011-135-003 | DLFS 545 | | 2400.0H | 15252.5H Mar 19, 09 | | 17652.5H | 963.2H 42.2M | | 1436.8H |
| -- PIN #1 / Ret 620000 | / | 204-012-104-005 | DIFS-17132 | | 2400.0H | 14464.1H Aug 29, 05 | 0.0H | 16864.1H | 1751.6H 84.9M | 1751.6H | 648.4H |
| -- PIN #2 / Ret 620000 | / | 204-012-104-005 | DIFS-17266 | | 2400.0H | 14464.1H Aug 29, 05 | 0.0H | 16864.1H | 1751.6H 84.9M | 1751.6H | 648.4H |
| -- PIN #3 / Ret 620000 | / | 204-012-104-005 | DIFS4912 | | 2400.0H | 15971.0H | 1833.0H | 16538.0H | 2077.7H | | 322.3H |

Components

| Component/Action | Make/Model | Part No. | Serial No. | Tracking No. | Limit | Perf. | Time at Inst. | Due | TTSC | TTSN | Rem. |
|--|--------------|-----------------|------------|--------------|-----------------|------------------------|---------------|------------------------|-------------------|------|----------------|
| | | | | | | May 16, 12 | | | 4.3M | | |
| -- PIN #4 / Ret 620000 | / | 204-012-104-005 | DIFS4908 | | 2400.0H | 15971.0H May 16, 12 | 1833.0H | 16538.0H | 2077.7H 4.3M | | 322.3H |
| -- PITCH HORN #1 / Ret 620000 | BELL/ 204 | 204-011-120-005 | REFS-3328 | | 3000.0H | 14704.3H Aug 4, 06 | | 17704.3H | 1511.4H 73.7M | | 1488.6H |
| -- PITCH HORN #2 / Ret 620000 | BELL/ 204 | 204-011-120-005 | REFS3289 | | 3000.0H | 14704.3H Aug 4, 06 | | 17704.3H | 1511.4H 73.7M | | 1488.6H |
| M/R PITCH LINK #1 / Ret 620000 | / | 204-011-127-003 | A2469 | | 9000.0H | 13571.1H Aug 4, 03 | 0.0H | 22571.1H | 2644.6H 109.7M | | 6355.4H |
| M/R PITCH LINK #2 / Ret 620000 | / | 204-011-127-003 | A2470 | | 9000.0H | 13571.1H Aug 4, 03 | 0.0H | 22571.1H | 2644.6H 109.7M | | 6355.4H |
| MAIN BATTERY / Cal 240000 | / | RG-380E/44 | 40430324 | | 12.0M | 15971.0H May 16, 12 | | May 16, 13 | 244.7H 4.3M | | 7.7M |
| MAIN DRIVE SHAFT / Ins 630000 | / | 205-040-004-003 | A20-11645. | | 500.0H 12.0M | 15971.0H May 16, 12 | | 16471.0H May 16, 13 | 244.7H 4.3M | | 255.3H 7.7M |
| MAST ASSEMBLY / Ove 630000 | / | 204-040-366-017 | N9-7217 | | 2500.0H | 14979.1H Dec 3, 07 | 0.0H | 17479.1H | 1236.6H 57.7M | | 1263.4H |
| PITOT STATIC LEAK CHECK / Cal 960000 | / | | | | 24.0M | 15971.0H May 16, 12 | | May 16, 14 | 244.7H 4.3M | | 19.7M |
| SCISSORS & SLEEVE ASSY / On 620000 | / | 204-011-401-021 | RR19-0610 | | | 14979.1H Dec 3, 07 | 10388.0H | | 11624.6H 57.7M | | |
| SEAT BELTS 4 MAN SEAT / Ove 250000 | / | | | | 120.0M | Dec 22, 03 | | Dec 22, 13 | 105.1M | | 14.9M |
| SEAT BELTS CO-PILOT / Ove 250000 | / | | | | 120.0M | Dec 22, 03 | | Dec 22, 13 | 105.1M | | 14.9M |
| SEAT BELTS PASSENGER / Ove 250000 | / | 204-070-032-005 | | | 120.0M | Dec 22, 03 | | Dec 22, 13 | 105.1M | | 14.9M |
| SEAT BELTS PILOTS / Ove 250000 | / | 0101238-01 | | | 120.0M | Dec 22, 03 | | Dec 22, 13 | 105.1M | | 14.9M |

Components

| Component/Action | Make/Model | Part No. | Serial No. | Tracking No. | Limit | Perf. | Time at Inst. | Due | TTSC | TTSN | Rem. |
|---|---------------|-----------------|------------|--------------|----------------|--------------------------|---------------|------------------------|-------------------|----------|----------------|
| SLIDER T/R / On 670000 | BELL/ 204 | 204-010-720-003 | MWFS974 | | | 14493.9H | | | 1721.8H | 1721.8H | |
| STAB BAR ASSY. / Ove 620000 | / | 212-010-300-001 | M219-0914 | | 5000.0H | 13781.5H Apr 16, 04 | 0.0H | 18781.5H | 2434.2H 101.3M | | 2565.8H |
| STARTER GENERATOR / Ove 240000 | BELL/ 204 | 30E20-61A | 7738 | | 1000.0H | 15928.3H Sep 2, 11 | 478.9H | 16449.4H | 766.3H 12.8M | | 233.7H |
| SURVIVAL KIT / Ins 250000 | / | FE-6A | A700A-1106 | | 24.0M* | 15699.0H Feb 23, 11 * | * | Jan 31, 13 * | 516.7H 19.1M* | * | 4.2M* |
| SURVIVAL KIT / Ins 250000 | / | FE-6A | A700A-1306 | | 24.0M* | 15699.0H Feb 26, 11 * | * | Jan 31, 13 * | 516.7H 19.0M* | * | 4.2M* |
| SWASHPLATE ASSEMBLY / On 620000 | / | 204-011-400-129 | OKB-011 | | | Aug 17, 04 | | | 97.3M | | |
| T/R BLADE / Ret 640000 | / | 204-011-702-121 | A27795 | | 1000.0H | 16195.1H Jul 30, 12 | | 17195.1H | 20.6H 1.8M | | 979.4H |
| T/R BLADE / Ret 640000 | / | 204-011-702-121 | A27713 | | 1000.0H | 16195.1H Jul 30, 12 | | 17195.1H | 20.6H 1.8M | | 979.4H |
| T/R COUPLINGS / Ins 650000 | / | 212-040-600-XXX | | | 500.0H 6.0M | 15971.0H May 16, 12 | | 16471.0H Nov 16, 12 | 244.7H 4.3M | | 255.3H 1.7M |
| T/R CROSSHEAD / NDT 640000 | BELL/ 204B | 204-011-711-001 | A-FS521 | | 1000.0H | 15482.2H Feb 16, 10 | 0.0H | 16482.2H | 733.5H 31.3M | | 266.5H |
| T/R HANGER ASSEMBLY #1 / Ove 650000 | BELL/ 204 | 204-040-617-101 | A-012040 | | 3000.0H | 14528.5H May 17, 06 | 223.6H | 17304.9H | 1910.8H 76.3M | 1910.8H | 1089.2H |
| T/R HANGER ASSEMBLY #2 / Ove 650000 | BELL/ 204 | 212-040-600-11 | A20-04728 | | 3000.0H | 14580.1H Jun 24, 06 | 0.0H | 17580.1H | 1635.6H 75.0M | 9942.3H | 1364.4H |
| T/R HANGER ASSEMBLY #3 / Ove 650000 | / | 212-040-600-009 | A20-6295 | | 3000.0H | 15252.5H Mar 19, 09 | | 18252.5H | 963.2H 42.2M | | 2036.8H |
| T/R HANGER ASSEMBLY #4 / Ove 650000 | / | 212-040-600-009 | A20-05484 | | 3000.0H | 14643.9H Jul 15, 06 | 0.0H | 17643.9H | 1571.8H 74.3M | 11759.8H | 1428.2H |
| T/R HUB ASSEMBLY / Ove 640000 | / | 204-011-801-121 | AFS-3159 | | 1000.0H | 16195.1H | | 17195.1H | 20.6H | | 979.4H |

| Components | | | | | | | | | | | |
|---|--------------|-----------------|------------|--------------|-----------------|--------------------------|---------------|------------------------|-------------------|---------|----------------|
| Component/Action | Make/Model | Part No. | Serial No. | Tracking No. | Limit | Perf. | Time at Inst. | Due | TTSC | TTSN | Rem. |
| | | | | | | Jul 30, 12 | | | 1.8M | | |
| T/R PITCH LINK #1 / On 640000 | / | 204-011-762-011 | MW352 | | | Jun 7, 02 | | | 123.6M | | |
| T/R PITCH LINK #2 / On 640000 | / | 204-011-762-011 | MW448 | | | Jun 7, 02 | | | 123.6M | | |
| T/R SILENT CHAIN / Ret 640000 | BELL/ 204 | 204-001-739-003 | EPT-452 | | 600.0H | 15682.5H Jul 31, 10 | | 16282.5H | 533.2H 25.8M | | 66.8H |
| TAILBOOM / ON 530000 | / | 204-032-800-5A | A32-10 | | | 14608.7H | 0.0H | | 1607.0H | 1607.0H | |
| TRANSMISSION / Ove 630000 | / | 204-040-009-061 | B12-146 | | 1500.0H | 15252.5H Mar 19, 09 | 0.0H | 16752.5H | 963.2H 42.2M | | 536.8H |
| TRANSMISSION MOUNT / ON 620000 | / | 204-031-927-007 | | | | 11763.8H Jun 5, 99 | | | 4451.9H 159.7M | | |
| TRANSPONDER / Cal 990000 | / | 066-1062-00 | 20045 | | 24.0M* | 15971.0H May 16, 12 * | * | Feb 22, 14 * | 244.7H 4.3M* | * | 16.9M* |
| TUBE / ON 290000 | / | 204-076-267-005 | USFS 300 | | | 13781.5H Apr 19, 04 | | | 2434.2H 101.2M | | |
| TUBE / ON 290000 | / | 204-076-267-005 | USFS 353 | | | 13781.5H Apr 19, 04 | | | 2434.2H 101.2M | | |
| XMSN OIL FILTER 3 MICRON / Ret 630000 | / | 204-040-760-109 | | | 750.0H 12.0M | 15971.0H May 16, 12 | | 16721.0H May 16, 13 | 244.7H 4.3M | 4.3M | 505.3H 7.7M |

" * " indicates that a Manual Next Due is set.

| Recurring AD's | | | | | | | |
|--|--|-------|--------|------------------------------------|----------|------------------------|--------|
| AD No. | Description | Type | Limit | Perf. | Due | TTSC | Rem. |
| AD 2002-03-01 050000 Cycle Name : Landings | Engine vibration check.. | Recur | 500.0H | 16185.8H Jul 27, 12 13810.0C | 16685.8H | 29.9H 1.9M 54.0C | 470.1H |
| AD 2002-15-04 | T5313B, T5317, + T53 - COMPRESSOR LIFE LIMITS S/B. | Recur | | | | | |

| Recurring AD's | | | | | | | |
|---|--|-------|------------------|------------------------------------|------------------------|-------------------------------|-----------------|
| AD No. | Description | Type | Limit | Perf. | Due | TTSC | Rem. |
| AD 2003-01-04 | 204B, 205A /A-1/B, 212 - INSPECT MAIN ROTOR HUB S/. | Recur | | | | | |
| AD 2006-11-16 730000 Cycle Name : Landings | FCU failure of both main & secondary drive shaft. F.C.U. 682AS3824 | Recur | 1250.0H | 15699.0H Sep 8, 10 4251.0C | 16949.0H | 516.7H 24.6M 9613.0C | 733.3H |
| AD 2009-15-13 PART G | COMBUSTION CHAMBER HOUSING. | Recur | | 15574.2H Jun 20, 10 12749.0C | | 641.5H 27.2M -12749.0C | |
| AD 2009-15-13 PART I Cycle Name : Landings | COMBUSTION CHAMBER HOUSING ULTRASONIC. | Recur | 1200.0C | 15971.0H May 16, 12 13457.0C | 14657.0C | 244.7H 4.3M 407.0C | 793.0C |
| AD 204-90-25 R1 Pt 1 Cycle Name : Landings | M/R YOKE INSPECTION. | Recur | | 15967.7H Nov 17, 11 13442.0C | | 248.0H 10.3M 422.0C | |
| AD 75-26-03 050000 | EMERGENCY EXIT HANDLE. | Recur | 300.0H | 15971.0H May 16, 12 13457.0C | 16271.0H | 244.7H 4.3M -13457.0C | 55.3H |
| AD 75-26-05 050000 | MAIN ROTOR BLADES repaired & insp. by CTI. | Recur | 12.0M | 16035.0H Jun 27, 12 13579.0C | Jun 27, 13 | 180.7H 2.9M -13579.0C | 9.1M |
| AD 77-17-05 050000 | EMERGENCY EXIT LATCH PIN. | Recur | 300.0H | 15971.0H May 16, 12 13457.0C | 16271.0H | 244.7H 4.3M -13457.0C | 55.3H |
| AD 79-20-05 050000 | MAIN ROTOR HUB ASSEMBLY. | Recur | 2400.0H | 15482.2H Feb 16, 10 12574.0C | 17882.2H | 733.5H 31.3M -12574.0C | 1666.5H |
| AD 92-23-01 050000 | Prevent pillow block seperation.. | Recur | 1200.0H | 15482.2H Feb 16, 10 12574.0C | 16682.2H | 733.5H 31.3M -12574.0C | 466.5H |
| AD 93-17-12 050000 | MAIN ROTOR TRANSMISSION LOWER PLANETARY SPIDER. | Recur | 3100.0H | 13781.5H Apr 16, 04 4100.0C | 16881.5H | 2434.2H 101.3M -4100.0C | 665.8H |
| AD CF-88-23R1 050000 | BLADE STRAP PINS REFER TO SB A8-27-45. | Recur | 1200.0H 24.0M | 15971.0H May 15, 12 13457.0C | 17171.0H May 15, 14 | 244.7H 4.3M -13457.0C | 955.3H 19.7M |
| AD CF-90-06PTAR1 050000 | TAIL ROTOR PITCH CHANGE CHAIN. T/R SILENT CHAIN 36210 | Recur | 100.0H | 16153.1H Jul 22, 12 13740.0C | 16253.1H | 62.6H 2.1M -13740.0C | 37.4H |
| AD CF-90-06PTBR1 050000 Cycle Name : Landings | TAIL ROTOR PITCH CHANGE CHAIN. T/R SILENT CHAIN 36210 | Recur | 10.0H | 16215.7H Sep 20, 12 13864.0C | 16225.7H | 0.0H 0.2M 0.0C | 10.0H |
| AD CF-90-16R3 PT3 050000 | MAIN ROTOR YOKE INSPECTION N/A due to main rotor. M/R YOKE 14-094 | Recur | 1200.0H 24.0M | 15971.0H May 15, 12 13457.0C | 17171.0H May 15, 14 | 244.7H 4.3M -13457.0C | 955.3H 19.7M |
| AD CF-91-27 PTB | EMERGENCY ESCAPE RELEASE HANDLE COVERS. | Recur | | 15971.0H | | 244.7H | |

| Recurring AD's | | | | | | | |
|--|---|-------|-------|------------------------------------|------------|-----------------------------|-------|
| AD No. | Description | Type | Limit | Perf. | Due | TTSC | Rem. |
| 050000 Cycle Name : Landings | | | 12.0M | May 16, 12 13457.0C | May 16, 13 | 4.3M 407.0C | 7.7M |
| AD CF-91-29R1 520000 Cycle Name : Landings | AFT FACING SEAT HEADRESTS. | Recur | 12.0M | 16146.8H Jul 22, 12 13730.0C | Jul 22, 13 | 68.9H 2.1M 134.0C | 9.9M |
| AD CF-96-06 PT4 050000 Cycle Name : Landings | EMERGENCY ESCAPE MARKINGS. | Recur | 12.0M | 15971.0H May 16, 12 13457.0C | May 16, 13 | 244.7H 4.3M 407.0C | 7.7M |
| ASB 204-02-58 050000 | Main rotor grips ultrasonic inspection. | Recur | 24.0M | 15971.0H May 16, 12 13457.0C | May 16, 14 | 244.7H 4.3M -13457.0C | 19.7M |
| ASB 204-11-66 | MAIN ROTOR HUB INBOARD FITTING. | Recur | | 15971.0H May 16, 12 13457.0C | | 244.7H 4.3M -13457.0C | |
| ASB 204-96-49 PT2 620000 | Insp. M/R Blades for cracks. | Recur | 25.0H | 16200.3H Jul 30, 12 13838.0C | 16225.3H | 15.4H 1.8M -13838.0C | 9.6H |

" * " indicates that a Manual Next Due is set.

| Inspections | | | | | |
|---|---------|------------------------------------|----------|------------------------------|--------|
| Inspection | Limit | Perf. | Due | TTSC | Rem. |
| 100 HR A/F & ENG. Cycle Name : Landings | 100.0H | 16153.1H Jul 22, 12 13740.0C | 16253.1H | 62.6H 2.1M 124.0C | 37.4H |
| 1000 HR INSP Cycle Name : Landings | 1000.0H | 15482.2H Feb 16, 10 12574.0C | 16482.2H | 733.5H 31.3M 1290.0C | 266.5H |
| 25HR INSP Cycle Name : Landings | 25.0H | 16200.3H Jul 30, 12 13838.0C | 16225.3H | 15.4H 1.8M 26.0C | 9.6H |
| 300 Hr SUPPLEMENT INSP Cycle Name : Landings | 300.0H | 15971.0H May 16, 12 13457.0C | 16271.0H | 244.7H 4.3M 407.0C | 55.3H |
| 3000 HR Cycle Name : Landings | 3000.0H | 13781.5H Apr 16, 04 8936.0C | 16781.5H | 2434.2H 101.3M 4928.0C | 565.8H |
| 50 HR INSP Cycle Name : Landings | 50.0H | 16200.3H Jul 30, 12 13838.0C | 16250.3H | 15.4H 1.8M 26.0C | 34.6H |
| 75 HR INSP Cycle Name : Landings | 75.0H | 16153.1H Jul 22, 12 13740.0C | 16228.1H | 62.6H 2.1M 124.0C | 12.4H |
| HOT END INSP | 1200.0H | 15699.0H | 16899.0H | 516.7H | 683.3H |

| Inspections | | | | | |
|-----------------------|-------|------------------------|-----|-----------------|------|
| Inspection | Limit | Perf. | Due | TTSC | Rem. |
| Cycle Name : Landings | | Feb 26, 11 12994.0C | | 19.0M 870.0C | |

" * " indicates that a Manual Next Due is set.

| ELT - Assembly - PN: S1840501-02 SN: 2619926-0204 | | | | | | | | | | | |
|---|----------------|-------------|--------------|--------------|--------|----------------------------|---------------|--------------|------------------|------|--------|
| Component/Action | Make/Model | Part No. | Serial No. | Tracking No. | Limit | Perf. | Time at Inst. | Due | TTSC | TTSN | Rem. |
| ELT / Cal 250000 | Kannad/ 406 | S1840501-02 | 2619926-0204 | | 12.0M* | 15971.0H May 16, 12 * * | | Feb 27, 13 * | 244.7H 4.3M* | * | 5.1M* |
| -- BATTERY / Rep 250000 | | | | | 72.0M* | 15699.0H Feb 26, 11 * * | | Nov 30, 14 * | 516.7H 19.0M* | * | 26.2M* |

| FIRE BOTTEL, ENGINE - Assembly - PN: 21500 SN: A-23 | | | | | | | | | | | |
|--|------------|----------|------------|--------------|--------|------------------------|---------------|------------|-----------------|------|--------|
| Component/Action | Make/Model | Part No. | Serial No. | Tracking No. | Limit | Perf. | Time at Inst. | Due | TTSC | TTSN | Rem. |
| FIRE BOTTEL, ENGINE / Ove 260000 | | 21500 | A-23 | | 60.0M | 15482.2H Feb 16, 10 | | Feb 16, 15 | 733.5H 31.3M | | 28.7M |
| -- FIRE BOTTLE. 12 MTH HYDROSTATIC TEST / Cal 260000 | | 21500 | A-23 | | 144.0M | 15482.2H Feb 16, 10 | | Feb 16, 22 | 733.5H 31.3M | | 112.7M |
| -- SQUIB / 260000 | | 13083-5 | 19203 | | 48.0M | 15482.2H Feb 16, 10 | | Feb 16, 14 | 733.5H 31.3M | | 16.7M |

| MAST ASSEMBLY - Assembly - PN: 204-040-366-017 SN: N9-7217 | | | | | | | | | | | |
|--|------------|-----------------|------------|--------------|-----------------------|-------------------------------|---------------|-----------------------|------------------------------|------|-----------------------|
| Component/Action | Make/Model | Part No. | Serial No. | Tracking No. | Limit | Perf. | Time at Inst. | Due | TTSC | TTSN | Rem. |
| MAST ASSEMBLY / Ove 630000 | | 204-040-366-017 | N9-7217 | | 2500.0H | 14979.1H Dec 3, 07 | 0.0H | 17479.1H | 1236.6H 57.7M | | 1263.4H |
| -- MAST / Ret 630000 Cycle Name : Start | | 204-011-450-105 | NFS-52984 | | 15000.0H 265000.0C | 12445.8H Oct 2, 00 5.0C | 0.0H | 27445.8H 265005.0C | 3769.9H 143.8M 4740.0C | | 11230.1H 260260.0C |
| -- MAST BEARING / ON 630000 | | 212-040-136-001 | 2588 | | | 12445.8H Oct 2, 00 | 0.0H | | 3769.9H 143.8M | | |

| SCISSORS & SLEEVE ASSY - Assembly - PN: 204-011-401-021 SN: RR19-0610 | | | | | | | | | | | |
|--|------------|-----------------|------------|--------------|---------|------------------------|---------------|----------|-------------------|------|---------|
| Component/Action | Make/Model | Part No. | Serial No. | Tracking No. | Limit | Perf. | Time at Inst. | Due | TTSC | TTSN | Rem. |
| SCISSORS & SLEEVE ASSY / On 620000 | / | 204-011-401-021 | RR19-0610 | | | 14979.1H Dec 3, 07 | 10388.0H | | 11624.6H 57.7M | | |
| -- SCISSORS HUB / Ret 620000 | / | 204-011-405-013 | RR19-0107 | | 9000.0H | 14979.1H Dec 3, 07 | 1509.4H | 22469.7H | 2746.0H 57.7M | | 6254.0H |
| -- SCISSORS TUBE #1 / Ret 620000 | / | 204-011-442-001 | AFS10038 | | 9000.0H | 14747.8H Apr 19, 07 | 0.0H | 23747.8H | 1467.9H 65.2M | | 7532.1H |
| -- SCISSORS TUBE #2 / Rep 620000 | / | 212-010-404-005 | AFS-7181 | | 9000.0H | 14473.3H Oct 17, 05 | 9.9H | 23463.4H | 1752.3H 83.3M | | 7247.7H |

| STAB BAR ASSY. - Assembly - PN: 212-010-300-001 SN: M219-0914 | | | | | | | | | | | |
|--|------------|-----------------|------------|--------------|----------|------------------------|---------------|----------|-------------------|------|---------|
| Component/Action | Make/Model | Part No. | Serial No. | Tracking No. | Limit | Perf. | Time at Inst. | Due | TTSC | TTSN | Rem. |
| STAB BAR ASSY. / Ove 620000 | / | 212-010-300-001 | M219-0914 | | 5000.0H | 13781.5H Apr 16, 04 | 0.0H | 18781.5H | 2434.2H 101.3M | | 2565.8H |
| -- CENTER FRAME #1 / Ret 620000 | / | 204-011-307-105 | REFS 1569 | | 10000.0H | 15252.5H Mar 19, 09 | | 25252.5H | 963.2H 42.2M | | 9036.8H |
| -- CENTER FRAME #2 / Ret 620000 | / | 204-011-307-105 | REFS 1568 | | 10000.0H | 15252.5H Mar 19, 09 | | 25252.5H | 963.2H 42.2M | | 9036.8H |
| -- MIXING LEVER #1 / Ret 620000 | / | 212-010-302-105 | RE-7064 | | 9000.0H | 14979.1H Dec 3, 07 | 6022.1H | 17957.0H | 7258.7H 57.7M | | 1741.3H |
| -- MIXING LEVER #2 / Ret 620000 | / | 212-010-302-105 | RE-7059 | | 9000.0H | 14979.1H Dec 3, 07 | 6078.8H | 17900.3H | 7315.4H 57.7M | | 1684.6H |
| -- STAB BAR TUBE #1 / On 620000 | / | 212-010-311-101 | 5500509 | | | Oct 31, 89 | | | 274.8M | | |
| -- STAB BAR TUBE #2 / On 620000 | / | 212-010-311-101 | 5500154 | | | Oct 31, 89 | | | 274.8M | | |

| STARTER GENERATOR - Assembly - PN: 30E20-61A SN: 7738 | | | | | | | | | | | |
|--|------------|----------|------------|--------------|-------|-------|---------------|-----|------|------|------|
| Component/Action | Make/Model | Part No. | Serial No. | Tracking No. | Limit | Perf. | Time at Inst. | Due | TTSC | TTSN | Rem. |

| STARTER GENERATOR - Assembly - PN: 30E20-61A SN: 7738 | | | | | | | | | | | |
|--|--------------|------------|------------|--------------|---------|-----------------------|---------------|----------|-----------------|------|--------|
| Component/Action | Make/Model | Part No. | Serial No. | Tracking No. | Limit | Perf. | Time at Inst. | Due | TTSC | TTSN | Rem. |
| STARTER GENERATOR / Ove 240000 | BELL/ 204 | 30E20-61A | 7738 | | 1000.0H | 15928.3H Sep 2, 11 | 478.9H | 16449.4H | 766.3H 12.8M | | 233.7H |
| -- 300HR STARTER BRUSHES INSP / Ins 240000 | | 30E20-61-A | 30E20-61-A | | 300.0H | 16212.5H Aug 7, 12 | | 16512.5H | 3.2H 1.6M | | 296.8H |
| -- 300HR STARTER GEN. SPLINE INSP / Ins 800000 | | | | | 300.0H | 16212.5H Aug 7, 12 | | 16512.5H | 3.2H 1.6M | | 296.8H |

| SWASHPLATE ASSEMBLY - Assembly - PN: 204-011-400-129 SN: 0KB-011 | | | | | | | | | | | |
|---|------------|-----------------|------------|--------------|---------|------------------------|---------------|----------|------------------|------|---------|
| Component/Action | Make/Model | Part No. | Serial No. | Tracking No. | Limit | Perf. | Time at Inst. | Due | TTSC | TTSN | Rem. |
| SWASHPLATE ASSEMBLY / On 620000 | | 204-011-400-129 | 0KB-011 | | | Aug 17, 04 | | | 97.3M | | |
| -- COLLECTIVE SLEEVE / Ret 620000 | | 204-011-408-107 | MWFS-393 | | 9000.0H | 14979.1H Dec 3, 07 | 3335.2H | 20643.9H | 4571.8H 57.7M | | 4428.2H |
| -- SWASH DRIVE LINK #1 / Ret 620000 | | 204-011-407-001 | HDFS-163 | | 9000.0H | 14979.1H Dec 3, 07 | 1509.4H | 22469.7H | 2746.0H 57.7M | | 6254.0H |
| -- SWASH DRIVE LINK #2 / Ret 620000 | | 204-011-407-001 | REFS-98 | | 9000.0H | 14979.1H Dec 3, 07 | 3335.5H | 20643.6H | 4572.1H 57.7M | | 4427.9H |
| -- SWASH GIMBAL RING / Ret 620000 | | 204-010-404-001 | REFS-1758 | | 9000.0H | 14095.1H Aug 17, 04 | 1702.5H | 21392.6H | 3823.1H 97.3M | | 5176.9H |
| -- SWASH OUTER RING / Ret 620000 | | 204-011-403-001 | RE-FS141 | | 9000.0H | 14095.1H Aug 17, 04 | 2451.6H | 20643.5H | 4572.2H 97.3M | | 4427.8H |
| -- Swashplate Support / Ret 620000 | | 204-011-404-125 | RE18861 | | 1000.0H | 16215.1H Sep 18, 12 | | 17215.1H | 0.6H 0.2M | | 999.4H |
| -- SWASHPLATE SUPPORT TO GIMBAL RING BOLT / Rep 620000 | | 204-011-463-001 | AIFS45999 | | 1000.0H | 16215.1H Sep 18, 12 | | 17215.1H | 0.6H 0.2M | | 999.4H |
| -- SWASHPLATE SUPPORT TO GIMBAL RING BOLT / Rep | | 204-011-463-001 | AIFS48220 | | 1000.0H | 16215.1H Sep 18, 12 | | 17215.1H | 0.6H 0.2M | | 999.4H |
| -- SWASHPLATE TO GIMBAL RING BOLT / Rep | BELL/ | 204-011-463-003 | AIFS42911 | | 1000.0H | 16215.1H Sep 18, 12 | | 17215.1H | 0.6H 0.2M | | 999.4H |

| SWASHPLATE ASSEMBLY - Assembly - PN: 204-011-400-129 SN: OKB-011 | | | | | | | | | | | |
|---|-------------------|-----------------|-------------------|---------------------|--------------|------------------------|----------------------|------------|--------------|-------------|-------------|
| Component/Action | Make/Model | Part No. | Serial No. | Tracking No. | Limit | Perf. | Time at Inst. | Due | TTSC | TTSN | Rem. |
| -- SWASHPLATE TO GIMBAL RING BOLT / Rep 620000 | | 204-011-463-003 | AIFS42395 | | 1000.0H | 16215.1H Sep 18, 12 | | 17215.1H | 0.6H 0.2M | | 999.4H |

| T/R HANGER ASSEMBLY #1 - Assembly - PN: 204-040-617-101 SN: A-012040 | | | | | | | | | | | |
|---|-------------------|-----------------|-------------------|---------------------|--------------|------------------------|----------------------|------------|------------------|-------------|-------------|
| Component/Action | Make/Model | Part No. | Serial No. | Tracking No. | Limit | Perf. | Time at Inst. | Due | TTSC | TTSN | Rem. |
| T/R HANGER ASSEMBLY #1 / Ove 650000 | BELL/204 | 204-040-617-101 | A-012040 | | 3000.0H | 14528.5H May 17, 06 | 223.6H | 17304.9H | 1910.8H 76.3M | 1910.8H | 1089.2H |
| -- T/R HANGER BEARING #1 / Ret 650000 | BELL/204 | 204-040-623-109 | ZS25178 | | 1000.0H | 15928.3H Sep 2, 11 | | 16928.3H | 287.4H 12.8M | | 712.6H |

| T/R HANGER ASSEMBLY #2 - Assembly - PN: 212-040-600-11 SN: A20-04728 | | | | | | | | | | | |
|---|-------------------|-----------------|-------------------|---------------------|--------------|------------------------|----------------------|------------|------------------|-------------|-------------|
| Component/Action | Make/Model | Part No. | Serial No. | Tracking No. | Limit | Perf. | Time at Inst. | Due | TTSC | TTSN | Rem. |
| T/R HANGER ASSEMBLY #2 / Ove 650000 | BELL/204 | 212-040-600-11 | A20-04728 | | 3000.0H | 14580.1H Jun 24, 06 | 0.0H | 17580.1H | 1635.6H 75.0M | 9942.3H | 1364.4H |
| -- T/R HANGER BEARING #2 / Ret 650000 | BELL/204 | 204-040-623-111 | ZS 23577 | | 1000.0H | 15911.7H Aug 21, 11 | | 16911.7H | 304.0H 13.1M | | 696.0H |

| T/R HANGER ASSEMBLY #3 - Assembly - PN: 212-040-600-009 SN: A20-6295 | | | | | | | | | | | |
|---|-------------------|-----------------|-------------------|---------------------|--------------|------------------------|----------------------|------------|-----------------|-------------|-------------|
| Component/Action | Make/Model | Part No. | Serial No. | Tracking No. | Limit | Perf. | Time at Inst. | Due | TTSC | TTSN | Rem. |
| T/R HANGER ASSEMBLY #3 / Ove 650000 | | 212-040-600-009 | A20-6295 | | 3000.0H | 15252.5H Mar 19, 09 | | 18252.5H | 963.2H 42.2M | | 2036.8H |
| -- T/R HANGER BEARING #3 / Ret 650000 | | 204-040-623-111 | ZS25713 | | 1000.0H | 15928.6H Sep 8, 11 | | 16928.6H | 287.1H 12.6M | | 712.9H |

| T/R HANGER ASSEMBLY #4 - Assembly - PN: 212-040-600-009 SN: A20-05484 | | | | | | | | | | | |
|--|-------------------|-----------------|-------------------|---------------------|--------------|------------------------|----------------------|------------|------------------|-------------|-------------|
| Component/Action | Make/Model | Part No. | Serial No. | Tracking No. | Limit | Perf. | Time at Inst. | Due | TTSC | TTSN | Rem. |
| T/R HANGER ASSEMBLY #4 / Ove 650000 | | 212-040-600-009 | A20-05484 | | 3000.0H | 14643.9H Jul 15, 06 | 0.0H | 17643.9H | 1571.8H 74.3M | 11759.8H | 1428.2H |

| T/R HANGER ASSEMBLY #4 - Assembly - PN: 212-040-600-009 SN: A20-05484 | | | | | | | | | | | |
|--|-------------------|-----------------|-------------------|---------------------|--------------|------------------------|----------------------|------------|-----------------|-------------|-------------|
| Component/Action | Make/Model | Part No. | Serial No. | Tracking No. | Limit | Perf. | Time at Inst. | Due | TTSC | TTSN | Rem. |
| -- T/R HANGER BEARING #4 / Ret 650000 | / | 204-040-623-111 | ZS 23206 | | 1000.0H | 15482.2H Feb 16, 10 | | 16482.2H | 733.5H 31.3M | | 266.5H |

| T/R HUB ASSEMBLY - Assembly - PN: 204-011-801-121 SN: AFS-3159 | | | | | | | | | | | |
|---|-------------------|-----------------|-------------------|---------------------|--------------|------------------------|----------------------|------------|-----------------|-------------|-------------|
| Component/Action | Make/Model | Part No. | Serial No. | Tracking No. | Limit | Perf. | Time at Inst. | Due | TTSC | TTSN | Rem. |
| T/R HUB ASSEMBLY / Ove 640000 | / | 204-011-801-121 | AFS-3159 | | 1000.0H | 16195.1H Jul 30, 12 | | 17195.1H | 20.6H 1.8M | | 979.4H |
| -- T/R GRIP ASSY. / Rep 640000 | / | 205-011-711-101 | AFS-12374 | | 2500.0H | 16195.1H Jul 30, 12 | 1902.7H | 16792.4H | 1923.3H 1.8M | | 576.7H |
| -- T/R GRIP ASSY. / Rep 640000 | / | 205-011-711-101 | AFS-12300 | | 2500.0H | 16195.1H Jul 30, 12 | 1902.7H | 16792.4H | 1923.3H 1.8M | | 576.7H |
| -- T/R YOKE / Ret 640000 | / | 204-011-722-005 | AFS- 5777 | | 1000.0H | 16195.1H Jul 30, 12 | | 17195.1H | 20.6H 1.8M | | 979.4H |

| | | |
|-----------------------------------|----------------|------|
| This report has been prepared by: | | |
| | | |
| Signature | License Number | Date |